



1A Hose Specifications



FH - 1A - XX - YY

Working Pressure
Size

- Industrial Single Jacket Fire Hose PP Plain Weaving Outer Jacket & Natural Rubber Inside Lining.
- Jacket : PP In Plain Weaving.
- Liner : Natural Rubber.
- Working pressure (Bar) : 10 , 14 , 16 (XX)
- Burst pressure (Bar) : 30 , 42 , 48
- Sizes : 1 1/2" , 2 1/2" , 4" (YY)
- Length Per Roll : 30 Meters .
- Colour : White .
- Storage: Reels, hump racks, hangers, carts and hose houses.
- Use : Interior/exterior fire protection and washdown.
- Model : FH - 1A - XX - YY .

1B Hose Specifications

- Industrial Single Jacket Fire Hose PS In Twill Weaving Outer Jacket & Natural Rubber Inside Lining.
- Jacket : PS In Twill Weaving.
- Liner : Natural Rubber.
- Working pressure (Bar) : 10 , 14 , 16 , 18 , 20 (XX)
- Burst pressure (Bar) : 30 , 42 , 48 , 54 , 60
- Sizes : 1 1/2" , 2 1/2" , 4" (YY)
- Length Per Roll : 30 Meters .
- Colour : White.
- Storage: Reels, hump racks, hangers, carts and hose houses.
- Use : Interior/exterior fire protection and washdown.
- Model : FH - 1B - XX - YY .

Working Pressure
Size

FH - 1B - XX - YY





1C Hose Specifications



FH - 1C - XX - YY

Working Pressure
Size

- Industrial Single Jacket Fire Hose PS In Twill Weaving Outer Jacket & PU Inside Lining.
- Jacket : PS In Twill Weaving.
- Liner : PU.
- Working pressure (Bar) : 14 , 16 , 18, 20 (XX)
- Burst pressure (Bar) : 42 , 48 , 54, 60
- Sizes : 1 1/2" , 2 1/2" , 4" (YY)
- Length Per Roll : 30 Meters .
- Colour : White .
- Storage: Reels, hump racks, hangers, carts and hose houses.
- Use : Interior/exterior fire protection and washdown.
- Model : FH - 1C - XX - YY .

1D Hose Specifications

- Industrial Dyed Single Jacket Fire Hose PP In Plain Weaving Outer Jacket & Natural Rubber Inside Lining.
- Jacket : PP In Plain Weaving.
- Liner : Natural Rubber.
- Working pressure (Bar) : 10 , 14 , 16 (XX)
- Burst pressure (Bar) : 30 , 42 , 48
- Sizes : 1 1/2" , 2 1/2" , 4" (YY)
- Length Per Roll : 30 Meters .
- Colour : Black, Red, Blue, Yellow.
- Storage: Reels, hump racks, hangers, carts and hose houses.
- Use : Interior/exterior fire protection and washdown.
- Model : FH - 1D - XX - YY .





1E Hose Specifications



- Industrial Double Jacket Fire Hose PP In Plain Weaving Outer Jacket & Natural Rubber Inside Lining..
- Jacket : PP In Plain Weaving.
- Liner : Natural Rubber.
- Working pressure (Bar) : 14 , 16 , 18, 20 (XX)
- Burst pressure (Bar) : 42 , 48 , 54, 60
- Sizes : 1 1/2" , 2 1/2" , 4" (YY)
- Length Per Roll : 30 Meters .
- Colour : White .
- Storage: Reels, hump racks, hangers, carts and hose houses.
- Use : Interior/exterior fire protection and washdown.
- Model : FH - 1E - XX - YY .

1F Hose Specifications

- Industrial Dyed Double Jacket Fire Hose PP In Plain Weaving Outer Jacket & Natural Rubber Inside Lining.
- Jacket : PP In Plain Weaving.
- Liner : Natural Rubber.
- Working pressure (Bar) : 14 , 16 , 18, 20 (XX)
- Burst pressure (Bar) : 42 , 48 , 54, 60
- Sizes : 1 1/2" , 2 1/2" , 4" (YY)
- Length Per Roll : 30 Meters .
- Colour : Black, Red, Blue, Yellow.
- Storage: Reels, hump racks, hangers, carts and hose houses.
- Use : Interior/exterior fire protection and washdown.
- Model : FH - 1F - XX - YY .





1G Hose Specifications



FH - 1G - XX - YY

Working Pressure
Size

- Industrial Fire Hose Fully Extruded Synthetic Rubber.
- Resist Oil, Fuel & Chemical products.
- Heavy Duty Hose, Long Life Service.
- Working pressure (Bar) : 14 , 16 , 18, 20 (XX)
- Burst pressure (Bar) : 42 , 48 , 54, 60
- Sizes : 1 1/2" , 2 1/2" , 4" (YY)
- Length Per Roll : 30 Meters .
- Colour : Red, Black .
- Storage: Reels, hump racks, hangers, carts and hose houses.
- Use : Interior/exterior fire protection and washdown.
- Model : FH - 1G - XX - YY .

1H Hose Specifications

- Industrial PU Coated Single Jacket Fire Hose PS In Twill Weaving Outer Jacket & PU Inside Lining.
- Jacket : PS In Twill Weaving.
- Liner : PU.
- Working pressure (Bar) : 14 , 16 , 18, 20 (XX)
- Burst pressure (Bar) : 42 , 48 , 54, 60
- Sizes : 1 1/2" , 2 1/2" , 4" (YY)
- Length Per Roll : 30 Meters .
- Colour : Red.
- Storage: Reels, hump racks, hangers, carts and hose houses.
- Use : Interior/exterior fire protection and washdown.
- Model : FH - 1H - XX - YY .

Working Pressure
Size

FH - 1H - XX - YY





1I Hose Specifications



- Non-Collapsible Reel Fire Hose Double Spiral Braided.
- Textile Ply Reinforced, black Rubber Tube, Red Or Black Rubber Cover.
- Working pressure (Bar) : 10 , 14 , 16 (XX)
- Burst pressure (Bar) : 30 , 42 , 48
- Sizes : 3/4" , 1" (YY)
- Length Per Roll : 30 Meters .
- Colour : Red, Black .
- Storage: Reels, and hose houses.
- European Standard EN 694 and Australian Standard AS 1221.
- Use : Interior/exterior fire protection and washdown.
- Model : FH - 1I - XX - YY .

1J Hose Specifications

- Non-Collapsible Reel Fire Hose Made of High Intensive Polyester Fiber Filament And Polyester Monofilament.
- Lined With Polyurethane Tube.
- Weighs Per Unit Length 20% Of Rubber Lining Fire Hose.
- Working pressure (Bar) : 10 , 14 , 16 (XX)
- Burst pressure (Bar) : 30 , 42 , 48
- Sizes : 3/4" , 1" (YY)
- Length Per Roll : 30 Meters .
- Colour : White, Red.
- Storage: Reels, and hose houses.
- Use : Interior/exterior fire protection and washdown.
- Model : FH - 1J - XX - YY .

